





CONFORMITY of materials to fire prevention legislation ENCLOSURE Z1

The undersig	ned		as legal representative of the	
Company				
Address			City	
phone		fax	E-MAIL:	
Hall	Stand	Fair/Ext	hibition (Trade sector)	

In order to ensure the utmost safety and prevent fires arising from materials used in the stand, the above mentioned company, in accordance with current legislation, hereby

DECLARES

that the following materials have been used to create and outfit their stand

Component	Type of material: According to the table in the following page,indicate the fire reaction class of the	Flame resistant	Certification Number	Declaration of conformity By producer or retailer enclosed		Quantity Sq. m
	material.			YES	NO	
G FLOOR COVERING						
OUTFITTING STRUCTURE						

Fiere di Parma and any third parties in any way involved in the exhibition are hereby relieved of all and every liability for stand construction and outfitting. We formally declare that we waive any right to request damages Fiere di Parma or from third parties for any relating damages to persons or property. We hereby also undertake to provide Fiere di Parma with certificates of fire resistance or fire test reports relating to the materials used in the preparation of the stand.

Date _____

ON BEHALF OF THE COMPANY (stamp and signature of legal representative)

Should the stand be outfitted by a fitting company, this latter shall also be obliged to undersign the following declaration. We also hereby declare that the certificates enclosed refer to materials used to outfit the stand and that the classified materials used in the stand fittings are the same as the certified samples.

THE FITTERS

ON BEHALF OF THE COMPANY

(stamp and signature of legal representative)

date _

THIS FORM IS OBLIGATORY FOR ALL FITTINGS INSTALLED BY THE EXHIBITOR; EXHIBITORS WHO HAVE RESERVED A PRE-FITTED STAND BY ORGANIZER ARE EXEMPTED FROM HAVING TO SUBMIT THE PRESENT FORM.

NOTES



TO BE RETURNED, DULY FILLED IN AND SIGNED, DIRECTLY TO THE S.A.T.E. OFFICES DURING THE OUTFITTING PERIOD AND, IN ANY CASE, PRIOR TO THE BEGINNING OF THE EXHIBITION

GRADING MATERIAL SCALE D.M. 16/02/2009

Non-flammable products

Italian class	Type of use	European fire resistance class
0	On floor	A1FL
(Non-Flammable)	On wall	A1
	On ceiling	A1

Installed products along the escape routes

Italian class	Type of use	European fire resistance class
1	On floor	(A2FL-s1) (BFL-s1) (CFL-s1)
(along the escape routes)	On wall	(A2-s1, d0) (A2-s2, d0) (A2-s1, d1) (B-s1, d0) (B-s2, d0) (B-s1,d1)
	On ceiling	(A2-s1,d0)(A2-s2,d0)(B-s1,d0)(B-s2,d0)

Products installed in other places

Table 1 – Use on Floor

	Italian class	European fire resistance class
I	Classe 1	(A2FL-s1),(A2FL-s2),(BFL-s1),(BFL-s2),(CFL-s1)
П	Classe 2	(CFL-s2),(DFL-s1)
III	Classe 3	(DFL-s2)

Table 2 – Use on Wall

	Italian class	European fire resistance class	
1	Class 1	(A2-s1,d0),(A2-s2,d0),(A2-s3,d0),(A2-s1,d1),(A2-s2,d1),(A2-s3,d1),(B-	
		s1,d0),(B-s2,d0),(B-s1,d1),(B-s2,d1)	
П	Class 2	(A2-s1,d2),(A2-s2,d2),(A2-s3,d2),(B-s3,d0),(B-s3,d1),(B-s1,d2),(B-s2,d2),(B-	
		s3,d2),(C-s1,d0),(C-s2,d0),(C-s1,d1),(C-s2,d1)	
III	Class 3	(C-s3,d0),(C-s3,d1),(C-s1,d2),(C-s2,d2),(C-s3,d2),(D-s1,d0),(D-s2,d0),	
		(D-s1,d1),(D-s2,d1)	

Table 3 – Use on Ceiling

	Italian class	European fire resistance class
1	Class 1	(A2-s1,d0),(A2-s2,d0),(A2-s3,d0),(A2-s1,d1),(A2-s2,d1),(A2-s3,d1),
		(B-s1,d0),(B-s2,d0),(B-s3,d0)
II	Class 2	(B-s1,d1),(B-s2,d1),(B-s3,d1),(C-s1,d0),(C-s2,d0),(C-s3,d0)
III	Class 3	(C-s1,d1),(C-s2,d1),(C-s3,d1),(D-s1,d0),(D-s2,d0)

CHARACTERISTICS OF MATERIALS TO BE USED FOR THE STANDS OUTFITTINGS

In order to guarantee the highest safety conditions within the Exhibiton, the Exhibitors shall observe and have the fitters observe FireRegulations.

In any case, the materials used to outfit the stand must possess the following characteristics:

- walls, floors and relevant floor covering materials: non-fire, complying with to class 1 or 2
- curtains and ceilings complying with class 1.

Only class 1 plastic materials and foam sheeting (e.g. polystyrene) shall be used.

No non-fire resistant synthetic textiles, paints, glues and other materials that fail to comply with class 1 or class 2 specifications shall be used, nor shall trellis work, mats, grates or curtains made from thin strips of wood or similar materials be accepted.

1) wherever fire proof materials are used the exhibitor shall supply:

- a written declaration in which he undertakes to use the materials as specified for stand construction.

2) wherever class 1 and/or class 2 materials are used the exhibitor shall supply:

- certification of the fire proof test on the utilized materials as issued by the Ministry of the Interior -Direzione Generale della Protezione Civile Centro Studi ed Esperienze Antincendio (Rome-Capanelle) or by another legally recognized authority or laboratory.

3) wherever fire resistant materials or materials that have been rendered fire resistant are used, the exhibitor shall supply:

- for fire resistant materials:

the certificate attesting to the fire proof test on the materials used as issued by the Ministry of the Interior - Direzione Generale della Protezione Civile Centro Studi ed Esperienze Antincendio (Rome-Capanelle) or by another legally recognized authority or laboratory.

 for materials that have been rendered fire resistant: the certificate of fire resistance as issued by the authority that rendered the materials fire resistant, including:

a) the name of the Exhibitor, hall number and stand number;

b) a list of materials that have been rendered fire resistant;

c) the date on which the materials were rendered fire resistant (not preceding six months before the begginging of the exhibition);

d) the treated surface;

e) the main characteristics of the utilized product (enclose certificate);

f) the guarantee issued by the authority that materially carried out the operations to render the materials fire resistant, relieving Fiere di Parma and any third parties involved in the organization of the Exhibition from all and every liability, waiving any potential claim for compensation or damages from Fiere di Parma and third parties and undertaking to compensate Fiere di Parma for any damage directly sustained by Fiere di Parma itself.

All products used to render materials fire resistant must have received approval from the Ministry of the Interior -Direzione Generale della Protezione Civile Centro Studi ed Esperienze Antincendio or from another legally recognized authority or laboratory.

NOTE

Please remember that if properly carried out, the fireresistant treatment of fabrics ensures protection, as described by the

company that produces the fire resistant substances, for six months at most; this, so long as:

- after dismantling, the treated fabric is kept in a dry place;
- if during, the above mentioned six month period, the product is not washed or ironed or beaten by carpet beaters or similar procedures. Fire resistant fabrics are available on the market.


Note that fire-resistant materials are available on trade.

Fiere di Parma shall, at their sole and total discretion, have the appropriate authorities or personnel take samples of products or materials used for protection or stand outfitting purposes.

Non-compliance with the above mentioned regulations and those established by the attendance regulations and rules given in this dossier, shall entitle Fiere di Parma to take cautionary measures, which may lead to the exhibitor being ordered to dismantle part or all of the stand or to being forbidden to use the stand.

FAILURE TO COMPLY WITH THE SAFETY REGULATIONS MAY LEAD TO PROSECUTION.

CLASSES OF REACTION TO COMBUSTION OF MATERIALS TO BE USED FOR STAND OUTFITTING PURPOSES







CONFORMITY OF ELECTRICAL SYSTEMS

FORM Z2

TO BE FILLED BY THE COMPANY IN CHARGE OF THE ELETRICAL SYSTEM

Declaration of conformity of the electrical system to workmanlike standards (D.M. 37/08)
--

The undersigned			
As legal representative of	the company		
seated in	() address	n° Z	ZIP Code
VAT N	tel		
Company registered under			
of the Chamber of Commerc	e of		no
Member of the association	on of small industries (law 8.8.1985,		
Commissioned by municipality of PARMA 4312 DI PARMA in a building alloca	tem	ement	in the premises located in the owned by FIERE commercial 🗹 other uses
-	e standards, as per the provision		
•	is intended and, in particular, the		phance with the conditions of
□ has been built in accord	dance with the relevant project	•	ng planning layouts, under the
terms of art. 5) (2);			
has been built in compli	iance with the technical regulation	ons governing the ι	use of (3)
has been installed with and 6;	properly built components and r	naterials suited to	the place of installation - art. 5
,	ter careful survey for the purpos	ses of safety and fu	unctionality, after carrying out
	or by the regulations in force.	,	
MANDATORY ATTACHME	NTS:		
	stating the technical-professio		
Chamber of Commerce (C	Certificato camerale) expressly i	indicating the qua	lification; the certificate shall
not be older than 6 month			
system layout as per art			
report on types of mate	rials used (5)		
system layout (6)		tions of conformity	. (7)
OPTIONAL ATTACHMENTS (8	kisting previous or partial declara 3):	ations of conformity	y (7)
	DECLINES		
any responsibility for accident from negligent maintenance	nts to persons or property deriving or repair.	from modifications	to the system by third parties or
	TECHNICAL LEAD		DECLARING PARTY
Date			
Date			
Warning for the contracting par	ty: responsibility of the contracting par	ty or owner, art 8 (9)	
FORM ISSUED BY THE MINISTRY	FOR INDUSTRY, COMMERCE AND HAN NOTE	IDICRAFT	
	FITTINGS INSTALLED BY THE EXHIBITOR; EXHI OM HAVING TO SUBMIT THE PRESENT		ESERVED A PRE-FITTED STAND BY
G	DMPU	LSC	DRY

Declaration of conformity of electrical systems

Declaration of conformity of the electrical system to workmanlike standards (D.M. 37/08) (compulsory form)

- 1) In the case of gas systems, by way of an example, "other" may mean replacement of a fixed piece of equipment.
- 2) Please specify: name, surname, qualification and, where expressly required under the terms of article 5, par. 2, details relating to the registration in the Professional Register of the technician that has laid down the project.
- 3) State the technical regulations or legislation, distinguishing between references to design, construction and inspection.
- 4) If the initial project is modified during construction at any time, the final project as presented at the end of the work must include all variations. The project should contain reference to the fire prevention regulation (where required)).
- 5) For all parts subject to particular regulations, the report should include a declaration to the effect that the said parts comply with existing regulations, containing references to trademarks, test certificates, and so forth, issued by authorized institutions where applicable. As far as other products are concerned (to be listed) the signatory is required to declare that the materials, products and components comply with the provisions of art. 5 and 6. The report should also declare that the components are suitable for the place in which they are installed. Wherever relevant with respect to the correct operation of the system, reference should also be made to the number or specifications of the equipment installed or to be installed (for example, for gas: 1/number type and power rating of the appliances 2/ characteristics of the ventilation system in the rooms, 3/characteristics of the fumes exhaust systems, 4/indications concerning electrical connections (when relevant).
- 6) "System layout" refers to a description of the structure as constructed (make simple reference to the design, when this exists). The report should include pre-existing plans wherever a modification, enlargement or extraordinary maintenance is being certified. The system layout should indicate fire provention regulations (where required)

The system layout should indicate fire prevention regulations (where required).

- 7) References consist of the name of the construction company and the date of the declaration. These are not required for systems, or parts of a system, built before the current legislation became valid. The conformity reference can be replaced by a reference to declarations of compliance (art.7, par. 6). Should any part of the system have been set up by another company (for example extractor fans for fumes in gas plants) the declaration should carry references for all parts.
- 8) Example: any certificates relating to the results of inspections and tests carried out before starting up, cleaning or disinfection.
- 9) After completion of all works, the installing company is required to submit the principal a declaration of conformity of the systems as per art. 7. The principal or owner is bound to assign any installation, modification, enlargement or maintenance work relating to the systems and equipment as of art. 1 to certified and authorized companies, under the terms of art. 3).